U.S. Rubber

MATERIAL SAFETY DATA SHEET

1. Product and Company Identificat

Product name A75804
MSDS name SurvivorGrip

CAS # Mixture

Product use Recycled Rubber Adhesive

Generic description Moisture Cure Polyurethane Based Formulation

Manufacturer Bostik Inc.

211 Boston Street

Middleton MA 01949 USA

Telephone: 1-414-607-1347

24 hour emergency Telephone: 1-800-227-0332

assistance (Outside U.S.) 1-703-527-3887 General assistance Telephone: 1-978-777-0100

2. Hazards Identification

MSDS assistance

Emergency overview Contact with this material can cause irritation to the skin eyes and mucous membranes.

Thermal decomposition/burning may produce toxic gases and fumes. Closed containers may rupture w hen exposed to high temperatures or when t he product has been contaminated with water. Avoid breathing hot mists and vapors. T his product contains a respiratory and skin sensitizer. Causes respiratory tract irritation and may cause allergic respiratory reaction. May cause permanent respiratory damage. Product vapors are potentially irritating to skin. May

cause allergic skin reaction and dermatitis.

Potential health effects

Eyes This product may cause irritation to the eyes. May cause temporary corneal injury.

Skin This product may cause irritation to the skin. Isocyanates may react with skin protein and

moisture to cause itching reddening swelling scaling or blistering. Individuals previously sensitized to t his material may experience these symptoms from exposure to very small

amounts of liquid or vapor.

Inhalation This product may cause irritation to the respiratory system. Single large does and/or repeated

exposures may lead to sensitization to diisocyanates or polyisocyanates (asthma or asthmalike symptoms) causing an individual to experience adverse effects at exposure levels well below exposure limits or guidelines. Symptoms may include c hest tightness wheezing shortness of breath coughing or asthmatic attack and may be delayed up to several hours. Extreme asthmatic reactions can be life threatening. Once sensitized an individual may experience adverse symptoms upon exposure to dust cold air or other irritants. Sensitization

can last several mont hs years or be permanent in some cases.

Ingestion Ingestion can cause gastrointestinal irritation nausea vomiting and diarrhea. T his product may

produce corrosive damage to t he gastrointestinal tract if it is swallowed.

Target organs The lungs and skin may be targeted and damaged by components of t his product

Signs and symptoms Signs and symptoms of overexposure to this product include headache irritation of upper

respiratory tract asthmatic symptoms chest tightness breathing difficulty coughing sore

throat eye irritation skin irritation and/or diarrhea.

Hazard statements This product contains Methylene Diphenyl Isocyanate (MDI) which is a potential skin sensitizer

and has been shown to alter cells in certain experiments. Although inconclusive these cellular changes are thought to indicate potential carcinogenicity. Risk to your health

depends on duration and concentration of exposure.

3. Composition 1 Information on Ingredients

omponents	CAS#	Percent
Methylene Diphenyl Isocyanate (MDI)	101-68-8	0.1 - 1

Material name: A75804 MSDS US

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention or

advice.

Skin contact For skin contact flush with large amounts of water while removing contaminated clothing. If

skin irritation persists call a physician. For severe exposure immediately get under a

safety shower and begin rinsing.

Inhalation If inhaled immediately remove the affected person to fresh air. Call a physician if symptoms

develop or persist. Administer oxygen or artificial respiration as needed.

Ingestion If the material is swallowed get immediate medical attention or advice. Do not induce vomiting

without medical advice. Never give anything by mouth to a victim who is unconscious or is

having convulsions.

Notes to physician Provide general supportive measures and treat symptomatically. Contact Bostik to determine

whether any additional information is available. Eyes: Stain for evidence of corneal injury. If cornea is burned apply antibiotic/steroid preparation as needed. Skin: This product contains a skin sensitizer. Treat symptomatically as for contact dermatitis or thermal burn. Ingestion: Treat symptomatically. Inhalation: This material contains a known pulmonary sensitizer. Any individual experiencing dermal or pulmonary sensitization should be removed from exposure to any diisocyanate. May aggravate existing heart conditions particularly those with abnormal

heart rhythms.

5. Fire Fighting Measures

Hazardous combustion Upon decomposition this product emits carbon monoxide carbon dioxide and/or low molecular weight hydrocarbons. Additional decomposition products include oxides of

nitrogen amines hydrogen cyanide and isocyanate-containing compounds.

Extinguishing media

Suitable extinguishing

media

Dry chemical foam carbon dioxide water fog.

Fire fighting
Equipment instructions

Firefighters should wear full protective clothing including self contained breathing apparatus.

Avoid contact with isocyanates. During a fire isocyanate vapors and other irritating and

highly toxic gases may be produced.

Flash point $> 500 \,^{\circ}\text{F} (> 260 \,^{\circ}\text{C})$

6. Accidental Release Measures

Emergency action Wear appropriate personal protective equipment. Do not allow product to enter sewer or

waterways. Follow all Local State Federal regulations for disposal. Regulations vary.

Consult local authorities before disposal.

Spill or leak procedure Scrape up material and place in steel drums that are in good condition. Thoroughly clean area

where spill occurred.

Containment procedures Isolate spill area. Stop discharge if safe to do so. Stop material from contaminating soil or

from entering sewers or water streams. Liquid spills: Cover spills with absorbent clay or sawdust and collect material in open container and neutralize with a solution containing 2% liquid detergent 3% concentrated ammonium hydroxide and 95% water. Was h spill area clean with the neutralization solution. Remove container to a safe place cover loosely and allow to stand for 24 to 48 hours letting evolved carbon dioxide escape. Collect and

contain for disposal.

Pellet or chip spill: Collect and contain for salvage or disposal. Molten adhesive spill: Placard hot material allow to cool and remove. If material is not cured once cooled follow neutralization directions for liquids listed above. Collect and contain for disposal.

Reporting See Federal reporting requirements listed in Section 15. We recommend you contact local

authorities to determine if there may be other local reporting requirements.

Material name: A75804 MSDS US

Handling and Storage

Handling Do not get this material in your eyes on your skin or on your clothing. Wash hands after

> handling and before eating. Do not breathe gas/fumes/vapor/spray. Wear respiratory protection if the material is heated sprayed used in a confined space or if exposure limit is exceeded. This product can produce asthmatic sensitization. Individuals with lung or breathing problems or prior allergic reactions to isocyanates must avoid fumes from this product. Wear

appropriate protective equipment to avoid contact with skin and eyes.

Keep in a dry cool and well-ventilated place. Keep away from heat. Keep away from direct Storage

sunlight.

Empty container precaution Attention! Follow label warnings even after container is emptied since empty containers may

> retain product residues. Do not reuse empty container without professional cleaning for foodclothing or products for human or animal consumption or where skin contact can occur.

Exposure Controls 1 Personal Protection 8.

Engineering controls

Provide local and general exhaust ventilation to effectively remove and prevent buildup of

any

vapors or mists generated from the handling of this product.

Personal protective equipment

Eye protection Wear safety glasses with side shields.

Skin and body protection Use impervious gloves. Work clothing sufficient to prevent all skin contact should be

worn, such as coveralls and long sleeves.

Respiratory protection Avoid breathing vapor and/or mists. If airborne concentrations are above the applicable

> exposure limits use NIOSH approved respiratory protection. High airborne concentrations may necessitate the use of self-contained breathing apparatus (SCBA) or a supplied air respirator.

General Eyewash fountains and emergency showers should be readily available.

Additional exposure data

US ACGIH Threshold Limit Values: Time Weighted Average (TWA): mg1m3 & ppm

Methylene Diphenyl Isocyanate 101-68-8 METHYLENE BISPHENYL ISOCYANATE (MDI) 0.005 PPM

(MDI)

US NIOSH Pocket Guide to Chemical Hazards: Ceiling Limit Value and Time Period (if specified)

Methylene Diphenyl Isocyanate 101-68-8 METHYLENE BISPHENYL ISOCYANATE 0.2 MGM3 - 0.020 PPM 10-min

(MDI)

Physical & Chemical Properties

Target solids 100 % pН N/A **Density** 1.65 g/cc Odor Mild Color Grav Physical state **Paste** Freeze protect No **VOC (Volatile Organic** 0 %

Compounds)

10. Chemical Stability & Reactivity Information

Hazardous

Reactions/decomposition

products

Upon decomposition this product emits carbon monoxide carbon dioxide and/or low molecular weight hydrocarbons. Additional decomposition products include oxides of nitrogen-

Hazardous polymerization

Conditions to avoid

Stability

amines hydrogen cyanide and isocyanate-containing compounds.

Hazardous polymerization can occur with elevated temperatures or contact wit h water.

Avoid Strong Acids. Avoid amines strong bases alcohols and metallic hydrides.

T his product is stable under normal conditions but will react slightly with water to release some heat and carbon dioxide. The reaction is not violent. Carbon dioxide carbon monoxide and in high temperature (800° F) low oxygen atmospheres such as in fire situations

hydrogen cyanide may be released.

Material name: A75804 MSDS US

11. Toxicological Information

carcinogenicity If this product contains any carcinogens they will be noted below: This product contains

Methylene Diphenyl Isocyanate (MDI). MDI is not listed by the NTP IARC or regulated by OSHA as a carcinogen. However it has been shown to alter cells in certain experiments. Although inconclusive these cellular changes are thought to indicate potential carcinogenicity.

Local effects Single large does and/or repeated exposures may lead to sensitization to diisocyanates or

polyisocyanates (asthma or asthma-like symptoms) causing an individual to experience adverse effects at exposure levels well below exposure limits or guidelines. Symptoms may include chest tightness wheezing shortness of breath coughing or asthmatic attack and may be delayed up to several hours. Extreme asthmatic reactions can be life threatening. Once sensitized an individual may experience adverse symptoms upon exposure to dust cold air or other irritants. Sensitization can last several months years or be permanent in some cases. Chronic exposure may cause lung damage including fibrosis and decreased lung function which may be permanent.

12. Ecological Information

Ecotoxicological information No data available for this product.

13. Disposal Considerations

It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable local state and federal regulations.

Waste disposal Dispose of waste material according to Local State Federal and Provincial Environmental

Regulations.

14. Transport Information

DOT

Not regulated as hazardous

goods. IATA

Not regulated as hazardous

goods. IMDG

Not regulated as hazardous goods.

15. Regulatory Information

The product(s) covered by this M(SDS) do not include any of the substances above a concentration of 0.1% weight by weight (w/w) in the Candidate List of Substances of Very High Concern (SVHC) for authorization published or proposed by ECHA as follows: the list of 15 substances for authorization published on October 28 2008 the list of 15 substances proposed on August 31 2009 the list of 14 substances proposed on January 13 2010 the list of 8 substances proposed on March 8 2010 the list of 8 substances proposed on June 18 2010 the list of 11 substances proposed on October 14 2010.

Federal regulations All components are on the U.S. EPA TSCA Inventory List.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Methylene Dip henyl Isocyanate 101-68-8 METHYLENEBIS(PHENYLISOCYANATE) (MDI) US EPCRA (SARA Title III) Section 313 -

(MDI) Toxic C hemical: Listed substance

State regulations If this product contains any California Proposition 65 c hemicals at reportable levels t hey will be

listed below:

International regulations

T his product has been classified in accordance with the hazard criteria of the Controlled

Products Regulations and contains all the information required by the Controlled

Products Regulations.

HMIS Ratings Health: 2*

Flammability: 1
P hysical hazard: 0
Personal protection: X

SARA 3111312 HAZARD

CATEGORIES

Immediate Hazard -Yes Delayed Hazard -Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Material name: A75804 MSDS US

WHMIS status
WHMIS labeling

Controlled



WHMIS classification

D2A - Other Toxic Effects-VERY TOXIC

16. Other Information

Disclaimer

The data in this MSDS has been compiled from publicly available sources. This data relates only to the designated product and not to the use of said product in combination with other materials. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein we cannot guarantee that these are the only hazards which exist. Responsibility for proper precautions and safe use of the product lies with the user. All data in this MSDS is typical of the product as a w hole and does not represent any individual lot or batc h t herefore Bostik Inc. makes no warranty about the accuracy of the data herein and assumes no liability for the use of such data. It is the responsibility of the user to comply with all applicable federal state and local laws and regulations.

Issue date 10/07/2010

Prepared by Bostik Inc. Regulatory Affairs

Supercedes 06/04/2010

This data sheet contains changes from the previous version in section(s):

Regulatory Information: State regulations Regulatory Information: Default Statements

Material name: A75804 MSDS US